NAC-112C
Ceiling Speaker

INTRODUCTION

The NAC-112C is a full-range ceiling speaker equipped with a 6-inch coaxial driver and a high-strength back cover. It delivers clear sound reproduction and features mounting tabs for easy installation, making it suitable for hotels, schools, shopping malls, offices, and other indoor environments.



MAIN FEATURES

- **Full-Range Coaxial Design:** Adopts a 6" coaxial speaker design for clear and natural sound reproduction.
- **Flexible Input Options:** Supports 70 V / 100 V line input and 8 Ω low-impedance input for flexible system integration.
- **Easy Ceiling Installation:** Equipped with mounting tabs and a high-strength back cover for quick and convenient ceiling installation.

PARAMETERS:

Frequency Response	90 Hz~20 kHz
Sensitivity	87 dB ± 3 dB (1 m / 1 W)
Max. SPL	102 dB (1 m / 30 W)
Rated Power	30 W
Power Taps (100 V)	30 W / 15 W / 7.5 W / 3.75 W
Power Taps (70 V)	30 W / 15 W / 7.5 W / 3.75 W / 1.875 W
Low-Impedance Input	8 Ω
Input Voltage	70 V / 100 V
Speaker Design	Full-range coaxial speaker
Speaker Component	6" coaxial speaker unit
Housing Material	ABS
Grille Material	Powder-coated iron mesh
Color	White
Mounting	Ceiling-mounted
Application Environment	Indoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Cutout Dimension	Φ200 mm
Dimensions	Φ230 × 150 mm
Package Dimensions	270 × 260 × 185 mm
Weight	2.16 kg
Warranty	2 years

DIMENSION

NAC-112C				
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)		UNIT HEIGHT	WEIGHT
CEILING SPEAKER	Φ230 × 150 mm		N/A	2.16kg
				MM

