NAC-2508
Horn Speaker



INTRODUCTION

The NAC-2508 is a high-power remote horn speaker with a two-way design and long-range sound projection. It delivers strong output, clear speech reproduction, and wide-area coverage, making it suitable for stadiums, schools, highways, coastal areas, and other harsh outdoor environments.



MAIN FEATURES


- **High-Power Output:** With 400 W rated power and up to 139 dB maximum SPL, it delivers strong long-range sound projection.
- **Two-Way Horn Design:** Adopts a two-way horn structure with a 15" woofer and HF driver for clear speech and powerful sound performance.
- **IP66 Outdoor Protection:** Designed with IP66 protection for reliable operation in stadiums, highways, coastal areas, and other harsh outdoor environments.


Two-Way Horn Speaker | High SPL Output | Wide Coverage | IP66 | Outdoor Use

PARAMETERS:

Frequency Response	70 Hz to 20 kHz
Sensitivity	104 dB (1 m / 1 W)
Max. SPL	139 dB
Rated Power	400 W
Low-Impedance Input	8 Ω (optional)
Input Voltage	100 V (optional)
Speaker Design	Two-way horn speaker
Speaker Component	15" woofer × 1 + HF driver × 1
Coverage Angle	50° (H) × 50° (V)
Housing Material	Aluminum
Color	Black
IP Rating	IP66
Mounting	Bracket-mounted
Application Environment	Outdoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Dimensions	565 × 565 × 758 mm
Weight	33 ± 2 kg
Warranty	2 Years

DIMENSION





NAC-2508	
PRODUCT DESCRIPTION	HORN SPEAKER
OUTER DIMENSIONS (W*H*D)	565 x 565 x 758 mm
UNIT HEIGHT	N/A
WEIGHT	33 ± 2 kg
MM	