SPON

SOUND PROJECTOR SPEAKER

Installation Manual




1. Specifications, Functional parts, and Parameters

General Specification	
Frequency Response	180Hz-16KHz
Sensitivity(1m/1W)	86±3dB
Rated Power	10W
Rated Power	2.5W/5W/10W
Line input	100V
Dimension(mm)	Φ138*200
Physical Specification	
Material	ABS
Component	2*5" full range sperker
Grill	Powder Coated AL Mesh
Finished Colour	White
Unit Weight	1.7Kg
Gross Weight	16.5Kg/8PCS
Packing Dimension(cm)	74*38*31
Woofer Speaker Specification	
Voice Coil Size	Φ0. 12*2Layer
DC Impedance	6.8Ω
Former	Paper
Magnet	Ferrite(150g)
	Φ60*Φ32*15(Y30)
Basket	Iron
Cone Material	Paper
Spider	Cloth
Dust cap	Mylar cup

2. Three View

Unit：mm



3.Packing list

（1）Sound Projector Speaker 1pcs

（2）Installation Manual 1pcs

（3）Warranty Card and Certificate 1pcs

SPON Communications Co., Ltd.
www.sponcomm.com
Service Hotline: +86-731-85570190
Reserve the amendment right without notice

Wechat

V1.0B240122