NAC-231A Column Loudspeaker



IP55 | 100V Fixed Voltage | 2-Way Speaker

INTRODUCTION

The NAC-231A is a column loudspeaker with a simple and elegant design. Featuring an aluminum alloy housing with IP55 protection, it is waterproof, corrosion-resistant, and easy to install. It delivers clear voice reproduction and balanced music performance, making it suitable for squares, parks, campuses, and other outdoor environments.

MAIN FEATURES

- **Two-Way Speaker Design:** Adopts a two-way speaker configuration with dual 5" woofers and one 1" tweeter for clear voice reproduction and balanced music performance.
- **IP55 Outdoor Protection:** Features an aluminum alloy housing with IP55 protection for reliable outdoor use.
- **Elegant Column Installation:** Designed with a simple and elegant appearance, suitable for squares, parks, campuses, and other outdoor environments.

PARAMETERS:

Frequency Response	110 Hz~18 kHz
Sensitivity	90 dB ± 3 dB (1 m / 1 W)
Max. SPL	106 dB (1 m / 40 W)
Rated Power	40 W
Power Taps (100 V)	40 W / 20 W
Rated Impedance	250 Ω (40 W) / 500 Ω (20 W)
Input Voltage	100 V
Speaker Design	Two-way speaker
Speaker Component	5" woofer × 2 + 1" tweeter × 1
Housing Material	Aluminum alloy
Color	White
IP Rating	IP55
Mounting	Wall-mounted
Application Environment	Outdoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Dimensions	442 × 170 × 148 mm
Package Dimensions	465 × 210 × 220 mm
Weight	5.05 kg
Warranty	2 years

DIMENSION



NAC-231A	WEIGHT	MM
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)	UNIT HEIGHT
COLUMN LOUDSPEAKER	442 × 170 × 148 mm	N/A