NAC-720W
Wall Speaker



INTRODUCTION

SPON Wall Speaker NAC-720W is an indoor wall-mounted speaker with clear sound performance, easy installation, and suitability for public areas, meeting rooms, and other indoor applications.

MAIN FEATURES

- **Two-Way Speaker Design:** Adopts a two-way speaker design with a 5" woofer and 1" silk tweeter for clear and balanced sound reproduction.
- **Flexible Input Options:** Supports 70 V / 100 V line input and 8 Ω low-impedance input for flexible system integration.
- **Wide Sound Coverage:** Features a 115° coverage angle, making it suitable for indoor paging and background music applications.




2-Way Speaker | Wall-Mount Installation | 8Ω Low-Impedance Input | 70V/100V

PARAMETERS:

Frequency Response	90 Hz to 20 kHz
Sensitivity	86 dB ± 3 dB (1 m / 1 W)
Max. SPL	101 dB (1 m / 30 W)
Rated Power	30 W
Power Taps (100 V)	30 W / 15 W / 7.5 W / 3.5 W
Power Taps (70 V)	30 W / 15 W / 7.5 W / 3.75 W / 1.9 W
Low-Impedance Input	8 Ω
Input Voltage	70 V / 100 V
Speaker Design	Two-way speaker
Speaker Component	5" woofer + 1" silk tweeter
Coverage Angle	115°
Housing Material	HIPS
Grille Material	Powder-coated iron mesh
Color	White / Black
Mounting	Wall-mounted
Application Environment	Indoor
Operating Temperature	-25°C to +55°C
Operating Humidity	⩽95% RH, non-condensing
Product Dimensions	184 × 249 × 165 mm
Package Dimensions	200 × 180 × 265 mm
Product Weight	2.54 kg
Warranty	2 years

DIMENSION



NAC-720W				
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)		UNIT HEIGHT	WEIGHT
WALL SPEAKER	184 × 249 × 165 mm		N/A	2.54 kg
	MM		MM	