NAC-2510
Horn Speaker





Horn Speaker | IP66 | 100V Input | High SPL Output | Clear Sound Projection

INTRODUCTION

The NAC-2510 is a horn speaker designed for clear sound reproduction and wide sound coverage. With its durable aluminum housing and IP66 protection, it is suitable for vehicles, bus stations, docks, public squares, and other indoor or outdoor environments.


MAIN FEATURES


- **Outdoor-Friendly Design:** Designed for outdoor use with a weather-resistant enclosure and landscape-friendly appearance.
- **Coaxial Speaker Design:** Equipped with a 6.5" coaxial speaker unit for clear and full sound reproduction.
- **Suitable for Landscape Applications:** Ideal for scenic areas, parks, gardens, and other outdoor leisure environments.


PARAMETERS:

Frequency Response:	280 Hz to 5 kHz
Sensitivity:	110 dB (1 m / 1 W)
Max. SPL:	126 dB
Rated Power:	50 W
Power Taps (100 V):	50 W / 25 W
Rated Impedance:	200 Ω (50 W) / 400 Ω (25 W)
Input Voltage:	100 V
Speaker Design:	Horn speaker
Speaker Component:	1.5" driver × 1
Housing Material:	ABS rear housing + aluminum front housing + iron bracket
Color:	Gray
IP Rating:	IP66
Mounting:	Bracket-mounted
Application Environment:	Indoor / Outdoor
Operating Temperature:	-25°C to +55°C
Operating Humidity:	≤95% RH, non-condensing
Dimensions:	Φ325 × 350 mm
Package Dimensions:	352 × 351 × 362 mm
Weight:	2.58 kg
Warranty:	2 Years

DIMENSION







NAC-2510	WEIGHT	MM
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)	UNIT HEIGHT
HORN SPEAKER	Φ325 x 350 mm	N/A