NAC-2304
Wall Speaker



INTRODUCTION

SPON Wall Speaker NAC-2304 features a lightweight and compact design for school corridors and similar indoor environments, and is ideal for class bell signaling, scheduled audio playback, and background music.

MAIN FEATURES

- **Compact Wall-Mounted Design:** Compact and lightweight design for flexible wall-mounted installation in various indoor environments.
- **Clear Sound Performance:** Provides clear sound reproduction with a 5" speaker unit, suitable for paging and background music applications.
- **100 V Line Speaker:** Supports 100 V line input with selectable 6 W / 3 W power taps for flexible audio distribution.




Full-Range | Wall-Mount | Indoor Application | 100V Input | Clear Vocals

PARAMETERS:

Frequency Response	180 Hz to 18 kHz
Sensitivity	90 dB ± 3 dB (1 m / 1 W)
Max. SPL	98 dB (1 m / 6 W)
Rated Power	6 W
Power Taps (100 V)	6 W / 3 W
Impedance	3.3 kΩ / 1.7 kΩ
Input Voltage	100 V
Speaker Component	5" × 1
Housing Material	ABS
Grille Material	ABS
Color	White
Mounting	Wall-mounted
Application Environment	Indoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Product Dimensions	175 × 200 × 100 mm
Package Dimensions	185 × 105 × 210 mm
Product Weight	0.8 kg
Warranty	2 years

DIMENSION


100
175
200
90
120
NAC-2304
PRODUCT DESCRIPTION
WALL SPEAKER
OUTER DIMENSIONS (W*H*D)
175 × 200 × 100 mm
WEIGHT
0.8 kg
UNIT HEIGHT
N/A
MM