
NAC-251A Column Loudspeaker



IP55 | 100V Fixed Voltage | 2-Way Speaker

INTRODUCTION

The NAC-251A is a column loudspeaker with a simple and elegant design. Featuring an aluminum alloy housing with IP55 protection, it is waterproof, corrosion-resistant, and easy to install. It delivers clear voice reproduction and balanced music performance, making it suitable for squares, parks, campuses, and other outdoor environments.


MAIN FEATURES

- **Two-Way Speaker Design:** Adopts a two-way speaker configuration with four 5" woofers and one 1" tweeter for clear voice reproduction and balanced music performance.
- **IP55 Outdoor Protection:** Features an aluminum alloy housing with IP55 protection for reliable outdoor use.
- **Elegant Column Installation:** Designed with a simple and elegant appearance, suitable for squares, parks, campuses, and other outdoor environments.

PARAMETERS:

Frequency Response	120 Hz~16 kHz
Sensitivity	95 dB ± 3 dB (1 m / 1 W)
Max. SPL	114 dB (1 m / 80 W)
Rated Power	80 W
Power Taps (100 V)	80 W / 40 W
Rated Impedance	125 Ω (80 W) / 250 Ω (40 W)
Input Voltage	100 V
Speaker Design	Two-way speaker
Speaker Component	5" woofer × 4 + 1" tweeter × 1
Housing Material	Aluminum alloy
Color	White
IP Rating	IP55
Mounting	Wall-mounted
Application Environment	Outdoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Dimensions	736 × 170 × 148 mm
Package Dimensions	760 × 210 × 222 mm
Weight	7.95 kg
Warranty	2 years

DIMENSION



NAC-251A	WEIGHT	MM
PRODUCT DESCRIPTION	7.95 kg	
COLUMN LOUDSPEAKER	OUTER DIMENSIONS (W*H*D)	UNIT HEIGHT
	736 × 170 × 148 mm	N/A