
NAC-241A Column Loudspeaker



IP55 | 100V Fixed Voltage | 2-Way Speaker

INTRODUCTION

The NAC-241A is a column loudspeaker with a simple and elegant design. Featuring an aluminum alloy housing with IP55 protection, it is waterproof, corrosion-resistant, and easy to install. It delivers clear voice reproduction and balanced music performance, making it suitable for squares, parks, campuses, and other outdoor environments.


MAIN FEATURES

- **Two-Way Speaker Design:** Adopts a two-way speaker configuration with three 5" woofers and one 1" tweeter for clear voice reproduction and balanced music performance.
- **IP55 Outdoor Protection:** Features an aluminum alloy housing with IP55 protection for reliable outdoor use.
- **Elegant Column Installation:** Designed with a simple and elegant appearance, suitable for squares, parks, campuses, and other outdoor environments.

PARAMETERS:

Frequency Response	110 Hz~18 kHz
Sensitivity	92 dB ± 3 dB (1 m / 1 W)
Max. SPL	110 dB (1 m / 60 W)
Rated Power	60 W
Power Taps (100 V)	60 W / 30 W
Rated Impedance	167 Ω (60 W) / 333 Ω (30 W)
Input Voltage	100 V
Speaker Design	Two-way speaker
Speaker Component	5" woofer × 3 + 1" tweeter × 1
Housing Material	Aluminum alloy
Color	White
IP Rating	IP55
Mounting	Wall-mounted
Application Environment	Outdoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Dimensions	590 × 170 × 148 mm
Package Dimensions	622 × 210 × 220 mm
Weight	5.84 kg
Warranty	2 years

DIMENSION



NAC-241A			
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)	WEIGHT	MM
COLUMN LOUDSPEAKER	590 × 170 × 148 mm	5.84 kg	
	UNIT HEIGHT		
	N/A		