NAC-2305 Wall-Mounted Speaker





INTRODUCTION

SPON Wall-mounted Speaker NAC-2305 is a wall-mounted speaker with clear sound performance and a standard U-shaped bracket for flexible multi-angle mounting or linear array installation in various indoor environments.

MAIN FEATURES


- **Two-Way Speaker Design:** Adopts a two-way speaker design for clear sound reproduction and improved audio balance
- **Clear and Pleasant Sound:** Delivers clear and natural sound performance, suitable for various indoor audio applications.
- **Flexible Installation:** Equipped with a standard U-shaped bracket for multi-angle mounting and combined installation.

2-Way Speaker | Wall-Mount Installation | High-Fidelity Sound Quality | 8Ω Low-Impedance Input | 70V/100V

PARAMETERS

Frequency Response	90 Hz to 20 kHz
Sensitivity	86 dB ± 3 dB (1 m / 1 W)
Max. SPL	102 dB (1 m / 40 W)
Rated Power	40 W
Power Taps (100 V)	40 W / 20 W / 10 W / 5 W
Power Taps (70 V)	40 W / 20 W / 10 W / 5 W / 2.5 W
Low-Impedance Input	8 Ω
Input Voltage	70 V / 100 V
Speaker Design	Two-way speaker
Speaker Component	5" woofer + 1" silk tweeter
Housing Material	HIPS
Grille Material	Powder-coated aluminum mesh
Color	White
Mounting	Wall-mounted
Application Environment	Indoor
Operating Temperature	-25°C to +55°C
Operating Humidity	≤95% RH, non-condensing
Product Dimensions	196 × 157 × 295 mm
Package Dimensions	330 × 235 × 190 mm
Product Weight	3.68 kg
Warranty	2 years

DIMENSION



NAC-2305	WEIGHT	MM
PRODUCT DESCRIPTION	OUTER DIMENSIONS (W*H*D)	UNIT HEIGHT
WALL-MOUNTED SPEAKER	196 × 157 × 295 mm	N/A