

Features

- Built-in 100v/70v transformer
- Wall mount type loudspeaker
- 5" +1.5" two ways speaker unit
- Power taps 3.75w-7.5w-15w-30w @100V plus 8ohm
- Metal grille, ABS enclosure and stainless mounting bracket

Description

The T-775HW is a wall mount speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.

The built-in 5"+1.5" two ways speaker driver is designed of wide frequency response 100-18kHz, the multiple power taps 3.75W, 7.5W, 15W & 30W are helpful for different applications varies from room size and ambient noise surroundings.

The metal grille, ABS enclosure and stainless mounting bracket are of white color. Easy and secure wall mount installation through the supplied mounting bracket.


It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.


Specification


Model	T-775HW	
Power Taps @100V	3.75W, 7.5W, 15W, 30W	
Power Taps @70V	1.9W, 3.75W, 7.5W, 15W, 30W	
Transformer Impedance	2.6KΩ/1.3KΩ/670Ω/330Ω/165Ω	
Input	70V/100V/8Ω	
SPL(1W/1M)	88dB	
Max. SPL (Rated W/1M)	103dB	
Frequency Response (-10dB)	100-18KHz	
Finish	Baffle: ABS, Black/White	Grille: Steel, Black/White
Speaker Driver	5" x1	1.5"x 1
Dimensions	285x 180 x 186mm	
Weight	2.7kg	
Mounting	With mounting bracket fixed by screw	

Wall Mount Speaker (Dampproof) (3.75W-7.5W-15W-30W)

Appearance:



Direction Diagram:



Frequency Response:

